MCDERMOTT, WILL & EMERY

28 State Street Boston, MA 02109-1775 617-535-4000

Main Facsimile No. 617-535-3800 Facsimile Operator No. 617-535-4000

RECEIVED **CENTRAL FAX CENTER**

MAY 0 6 2004

Group Art Unit: 3763

Examiner: Hayes, Michael J.

FACSIMILE

Date:	ay 6, 2004 1 line Sent:			
TO:				
Name	Company	Facsim	ile No.	Contact No.
Hayes, Michael J.	USPTO Group Art	Unit 3763 703-87 2	-9306	
FROM:	Jeffrey J. Miller	Direct Phone	(617) 535-442	1
E-Mail:	jemiller@mwe.com			
Sent By:	Jeff Miller	Direct Phone	617-535-4421	
Client/Matter/Tkp	r: 59249-020-5664	Original Foll	ow by Mail:	No
		Number of D	Number of Pages Including Cover: 10	

MESSAGE:

In re Application of: J. Christopher Flaherty

Serial No:

09/955,623

Filing Date:

September 19, 2001

Title:

PLUNGER FOR PATIENT INFUSION DEVICE

Docket No:

59249-020 (INSL-117)

<u>AMENDMENT AFTER EXAMINER INTERVIEW</u>

The information contained in this facsimile message is legally privileged and confidential information intended only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copy of this facsimile is strictly prohibited. If you have received this facsimile in error, please notify us immediately by telephone and return the original message to us at the above address by mail. Thank you.

MAY 0 6 2004



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: J. Christopher Flaherty

Serial No: Filing Date: 09/955,623

September 19, 2001

Group Art Unit: 3763

Examiner: Hayes, Michael J.

(703) 305-5873

Title:

PLUNGER FOR PATIENT INFUSION DEVICE

Docket No:

59249-020 (INSL-117)

CERTIFICATE OF TRANSMISSION UNDER 37 C.F.R. § 1.8(a)

I hereby certify that this correspondence is being facsimile transmitted to Technology Center 3700 of the U.S. Patent and Trademark Office (Fax No. 703-872-9306) on May 6, 2004.

Via Facsimile 703-872-9306

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT B

Sir:

In response to the Office Action mailed December 2, 2003, and the Examiner interview conducted on April 2, 2004, please amend the above-identified application as follows:

BST99 1406829-1.059249.0020